AT&T TECHNICAL JOURNAL • A JOURNAL OF THE AT&T COMPANIES

AT&T TECHNICAL JOURNAL

1986 INDEX AND CONTENTS

VOLUME 65

EDITORIAL BOARD

M. IWAMA, *Chairman*
AT&T Bell Laboratories

M. COCCA, *Secretary* • AT&T Bell Laboratories
P. K. BOHACEK • AT&T Network Systems
W. F. BRINKMAN • Sandia National Laboratories
H. O. BURTON • AT&T Communications & Information Systems
J. CHERNAK • AT&T Bell Laboratories
B. R. DARNALL • AT&T Bell Laboratories
J. J. DEGAN, Jr. • AT&T Bell Laboratories
A. FEINER • AT&T Communications & Information Systems
U. F. GIANOLA • AT&T Bell Laboratories
D. M. HILL • AT&T Technology Systems
S. HORING • AT&T Bell Laboratories
K. G. INGRAM • AT&T Communications & Information Systems
B. J. KARAFIN • AT&T Communications & Information Systems
N. W. NILSON • AT&T Technology Systems
L. C. SEIFERT • AT&T Engineering Research Center
D. SHEINBEIN • AT&T Bell Laboratories
V. A. VYSSOTSKY • AT&T Bell Laboratories
J. WEBER • AT&T

EDITORIAL STAFF

D. L. RAYMOND, *Editorial Director*
A. B. MYERS, *Editor*
D. K. FARMER, *Associate Editor*
R. T. ULLRICH, *Associate Editor*
G. F. WATSON, *Associate Editor*
I. J. JONES, *Art Director*
G. A. WALLACE, *Circulation*

Copyright © 1987 AT&T

VOLUME 65

	Page
Index	1
Contents	10

No. 1, January/February	Integrated Services Digital Network
No. 2, March/April	Quality: Theory and Practice
No. 3, May/June	General
No. 4, July/August	Manufacturing Technology
No. 5, September/October	Speech Processing Technology

AT&T TECHNICAL JOURNAL (ISSN 8576-2324) is published six times a year by AT&T. Individual subscriptions: U.S.—1 year $40; 2 years $72; 3 years $94; Foreign—1 year $50; 2 years $82; 3 years $104.

Payment for foreign subscriptions must be made in U.S. funds, or by check drawn on a U.S. bank, and made payable to the *AT&T Technical Journal,* and sent to AT&T Bell Laboratories, Circulation Dept., Room 1K-330, 101 J. F. Kennedy Pkwy, Short Hills, NJ 07078.

Current or recent issues may be obtained by writing to our Circulation Dept. at the address shown above, or by calling (201) 564-2582. You may obtain back issues from the AT&T Customer Information Center, P.O. Box 19901, Indianapolis, IN 46219, or by calling (800) 432-6600. From outside the U.S. call (312) 352-8557. Photocopy or microform reprints from the *Journal* are available by writing to University Microfilms International, 300 N. Zeeb Road, Ann Arbor, MI 48106, or calling (800) 521-0600. From outside the U.S. call (313) 761-4700.

Copyright © 1987 AT&T, 550 Madison Avenue, New York, NY 10022; J. E. Olson, Chairman of the Board; L. L. Christensen, Secretary. Printed in U.S.A.

Index to Volume 65

A

Access security (voice password system), **65–5** (1986), 68-74
Achieving Quality in the Development Process, **65–2** (1986), 85-93
Ackenhusen, J. G., **65–5** (1986), 48-67
Adaptive differential pulse code modulation *See* ADPCM
ADPCM coding standard (32-kb/s), **65–5** (1986), 12-22
Advanced signal processing applications of DSP32 digital signal processor, **65–5** (1986), 89-104
AKM and PKM exit cones (computed tomography of), **65–1** (1986), 78-88
Aldermeshian, H., **65–1** (1986), 19-25
Ali, S. S., **65–5** (1986), 48-67
Amster, S. J., **65–2** (1986), 69-76
Analysis
  crosstalk model for balanced digital transmissions in multipair cable; **65–3** (1986), 41-59
  modeling (performance) for manufacturing systems, **65–4** (1986), 25-34
  statistical (methods for improving product reliability), **65–2** (1986), 69-76
  strategy (data) for quality engineering experiments, **65–3** (1986), 73-84
  techniques (performance) for IC manufacturing lines, **65–4** (1986), 46-57
Apogee kick motor *See* AKM
Application
  and implementation of distributed software concept of remoted processes, **65–3** (1986), 2-11
  development tools for DSP32 digital signal processor, **65–5** (1986), 89-104
  standards (speech processing), **65–5** (1986), 23-33
Applications
  and architecture (Conversant® 1 voice system), **65–5** (1986), 34-47
  for ISDN, **65–1** (1986), 4-17
  near 1.55 μm (optical characteristics of dispersion-shifted lightguides for), **65–5** (1986), 105-122
  of ADPCM in existing telecommunications networks, **65–5** (1986), 12-22
  of compound semiconductors, **65–4** (1986), 86-98
  of voice password technology, **65–5** (1986), 68-74
  of speech processors (current and future), **65–5** (1986), 60-67
Architecture
  and applications (Conversant 1 voice system), **65–5** (1986), 34-47
  AT&T Communications ISDN, **65–1** (1986), 27-33
  AT&T Information Systems Architecture (role of ISDN in), **65–1** (1986), 45-55
  DSP32 digital signal processor, **65–5** (1986), 89-104
  Information Systems Architecture (role of ISDN in), **65–1** (1986), 45-55
  (integrated) for product realization (CIMA), **65–4** (1986), 17-24
  ISDN, **65–1** (1986), 4-17
Ata!, B. S., **65–5** (1986), 75-88
AT&T
  Information Systems Architecture, role of ISDN in, **65–1** (1986), 45-55
  in-process inspections of workproducts, **65–2** (1986), 102-112
  network systems (quality in), **65–2** (1986), 30-38
  Personal Terminal Model 510, soft touch-sensitive screen for, **65–1** (1986), 62-67
  product compatibility (voice store and forwarding standard), **65–5** (1986), 23-33
  products and services that use ADPCM, **65–5** (1986), 12-22
  workstations (speech processing for), **65–5** (1986), 60-67
AT&T Communications ISDN Architecture, **65–1** (1986), 27-33
AT&T Quality System (The), **65–2** (1986), 21-29
AT&T Soft Touch-Sensitive Screen (The), **65–1** (1986), 62-67
Automation
  and technology of lightguide apparatus, **65–4** (1986), 66-73
  of visual inspection tasks, **65–4** (1986), 58-65
  work cell for new lightguide connectors (prototype flexible), **65–4** (1986), 66-73

B

Balanced digital transmissions in multipair cable (crosstalk model for), **65–3** (1986), 41-59
Benvenuto, N., **65–5** (1986), 12-22
Bergmann, E. E., **65–3** (1986), 85-93
Bertocci, G., **65–5** (1986), 12-22
Birnbaum, M., **65–5** (1986), 68-74
Bishop, D., **65–5** (1986), 48-59
Block codes (half weight) for optical communications, **65–3** (1986), 85-93
Bloodworth, L. B., **65–4** (1986), 66-73
Boddie, J. R., **65–5** (1986), 89-104
Boza, L. B., **65–4** (1986), 17-24
Brunelle, N. R., **65–4** (1986), 58-65
Burman, D. Y., **65–4** (1986), 46-57

C

Cable (multipair); crosstalk model for balanced digital transmissions in, **65–3** (1986), 41-59
Call-handling applications of Conversant 1 voice system, **65–5** (1986), 34-47
Carney, D. L., **65–1** (1986), 35-43
Case studies (design optimization), **65–2** (1986), 51-68
Cause-and-effect study and force field analysis (for quality control), **65–2** (1986), 30-38
CCITT (International Telegraph and Telephone Consultative Committee), definition of standards for ISDN, **65–1** (1986), 19-25
Characteristics (optical) of dispersion-shifted lightguides for applications near 1.55 μm, **65–5** (1986), 105-122
Chavous, C. D., **65–4** (1986), 17-24
Choi, D., **65–5** (1986), 123-136
CIMA—An Integrated Architecture for Product Realization, **65–4** (1986), 17-24
Clemans, J. E, **65–4** (1986), 86-98
Codes (half weight block) for optical communications, **65–3** (1986), 85-93
Coding standard (32-kb/s ADPCM), **65–5** (1986), 12-22
Cohen, L. A., **65–5** (1986), 68-74
Cohen, L. G., **65–5** (1986), 105-122
Commercial speech systems (role of AT&T's Conversant 1 voice system in), **65–5** (1986), 34-47
Communications
  (optical); half weight block codes for, **65–3** (1986), 85-93
  (packet); on a mobile radio channel, **65–3** (1986), 12-20
Competitive advantage in manufacturing (strategic), **65–4** (1986), 2-3
Compound (III-V), semiconductor crystals (production of), **65–4** (1986), 86-98
Computed Tomography of PKM and AKM Exit Cones, **65–1** (1986), 78-88
Computer integrated manufacturing architecture *See* CIMA
Computer support systems for design and manufacturing (improvement of), **65–4** (1986), 17-24
Connected word recognition (segmental *k*-means training procedure for), **65–3** (1986), 21-31
Constant-weight block codes (use in optical data links and optical ring networks), **65–3** (1986), 85-93
Conte, R. A., **65–3** (1986), 41-59
Control system (manufacturing process), **65–4** (1986), 35-45
Conversant® *1 Voice System: Architecture and Applications*, **65–5** (1986), 34-47
Core profiles (graded-index), **65–5** (1986), 105-122
Cost-effective method for improving manufacturing processes (robust design), **65–2** (1986), 39-50
Crochiere, R. E., **65–5** (1986), 2-11
Crosstalk Model for Balanced Digital Transmissions in Multipair Cable (A), **65–3** (1986), 41-59
Crystal growth
  (silicon) and epitaxial layer deposition for VLSI devices, **65–4** (1986), 74-85
  III-V compound semiconductor, **65–4** (1986), 86-98
Current speech processing capabilities, **65–5** (1986), 2-11, 60-67
Current speech research, **65–5** (1986), 2-11, 75-88
Customer-required quality levels (design methodology to meet), **65–3** (1986), 60-72

D

Data Analysis Strategy for Quality Engineering Experiments (A), **65–3** (1986), 73-84
Data and voice applications, digital interconnectivity for (ISDN), **65–1** (1986), 4-17
Daumer, W. R., **65–5** (1986), 12-22
Davis, W. H., **65–4** (1986), 74-85
de la Rosa, J. G., **65–1** (1986), 68-77
Deposition (epitaxial layer) and silicon crystal growth for VLSI devices, **65–4** (1986), 74-85
Design Methodology for System Quality (A), **65–3** (1986),

60-72
Design Optimization Case Studies, **65–2** (1986), 51-68
Design parameters for dispersion-shifted fibers, **65–5** (1986), 105-122
Development tools (application) for DSP32 digital signal processor, **65–5** (1986), 89-104
Differential operational amplifier circuit (application of robust design for optimization of), **65–2** (1986), 51-68
Digital
  Integrated Services Digital Network *See* ISDN
  interconnectivity for voice and data applications (ISDN), **65–1** (1986), 4-17
  multiplexers (parallel scrambling techniques for), **65–5** (1986), 123-136
  signal processor, **65–5** (1986), 89-104
  transmissions (balanced) in multipair cable; crosstalk model for, **65–3** (1986), 41-59
Dispersion-shifted lightguides for applications near 1.55 μm (tailoring optical characteristics of), **65–5** (1986), 105-122
Distributed Software Concept of Remoted Processes, Their Application and Implementation (The), **65–3** (1986), 2-11
DSP32 Digital Signal Processor and Its Application Development Tools (The), **65–5** (1986), 89-104
Dunietz, I. S., **65–4** (1986), 35-45

E

Eckel, E. J., **65–2** (1986), 30-38
Effective Management of Software Development, **65–2** (1986), 94-101
Effects of Software Inspections on a Major Telecommunications Project (The), **65–3** (1986), 32-40
Elliott, R. S., **65–1** (1986), 56-61
Engineering experiments (quality); data analysis strategy for, **65–3** (1986), 73-84
Epitaxial layer deposition and silicon crystal growth for VLSI devices, **65–4** (1986), 74-85
Ernst, D. N., **65–1** (1986), 56-61
Evolution
  (ISDN) in Information Systems Architecture, **65–1** (1986), 45-55
  in speech processing technology, **65–5** (1986), 2-11
  of quality in AT&T, **65–2** (1986), 9-20
Exit cones (PKM and AKM), computed tomography of, **65–1** (1986), 78-88
Expanding interaction between AT&T's intelligent digital network and customer premises equipment (function of ISDN in), **65–1** (1986), 27-33
Expansion of ISDN services, **65–1** (1986), 19-25
Experiments (quality engineering); data analysis strategy for, **65–3** (1986), 73-84

F

Factory applications of operations research, **65–4** (1986), 4-16
Factory information management network (MPCS role in), **65–4** (1986), 35-45
Fiber (*See also* Lightguide)
  connectors (prototype flexible), **65–4** (1986), 66-73
  requirements for lightguides used in the 1.55-μm wavelength region, **65–5** (1986), 105-122
  single-mode optical (MCVD process for), **65–1** (1986), 56-61
5ESS™ switch
  ISDN capabilities, **65–1** (1986), 35-43
  remoting subsystem implementation, **65–3** (1986), 2-11
Flanagan, J. L., **65–5** (1986), 2-11
Flegal, W. M., **65–1** (1986), 56-61
Flexible automation work cell for new lightguide connectors (prototype), **65–4** (1986), 66-73
Fowler, P. J., **65–2** (1986), 102-112
Fredericks, A. A., **65–4** (1986), 25-34
Fuchs, E., **65–2** (1986), 4-8
Functional architecture (CIMA), **65–4** (1986), 17-24
Future
  mode analysis (for quality control), **65–2** (1986), 30-38
  speech processing capabilities, **65–5** (1986), 2-11, 60-67
  trends and opportunities of operations research, **65–4** (1986), 4-16

G

Gadenz, R. N., **65–5** (1986), 89-104
Gallium arsenide and gallium phosphide semiconductor crystals, **65–4** (1986), 86-98
Gault process for growing III-V crystals, **65–4** (1986), 86-98
Gault, W. A., **65–4** (1986), 86-98
General-purpose single-board speech recognition system,

65–5 (1986), 48-59
Godfrey, A. B., **65–2** (1986), 9-20
Goksel, A. K., **65–2** (1986), 77-84
Graded-index core profiles, **65–5** (1986), 105-122
Graden, M. E., **65–3** (1986), 32-40
Growth (silicon crystal) and epitaxial layer deposition for VLSI devices, **65–4** (1986), 74-85
Gurrola-Gal, F. J., **65–4** (1986), 46-57

H

Half Weight Block Codes for Optical Communications, **65–3** (1986), 85-93
Haney, E. A., **65–1** (1986), 56-61
Hardware and software support tools for developing DSP32 applications, **65–5** (1986), 89-104
Hays, W. P., **65–5** (1986), 89-104
Higdon, M. L., **65–1** (1986), 27-33
Higgins, F. P., **65–4** (1986), 58-65
High quality, III-V compound semiconductor crystals (production of), **65–4** (1986), 86-98
History and Evolution of Quality in AT&T (The), **65–2** (1986), 9-20
Hooper, J. H., **65–2** (1986), 69-76
Horsley, P. S., **65–3** (1986), 32-40
Hsu, J. C., **65–4** (1986), 17-24
Hsu, J. L. C., **65–4** (1986), 35-45

I

IC manufacturing lines (performance analysis techniques for), **65–4** (1986), 45-57
Implementation and application of distributed software concept of remoted processes, **65–3** (1986), 2-11
Improving manufacturing processes (robust design, a cost-effective method for), **65–2** (1986), 39-50
Indium phosphide semiconductor crystals, **65–4** (1986), 86-98
Information-bearing channels (ISDN), **65–1** (1986), 4-17
Information systems architecture (AT&T), role of ISDN in, **65–1** (1986), 45-55
Inglis, J., **65–2** (1986), 113-118
In-Process Inspections of Workproducts at AT&T, **65–2** (1986), 102-112
Inspection
  in-process (of workproducts at AT&T), **65–2** (1986), 102-112
  of wafers with a laser scanning microscope, **65–1** (1986), 68-77
  phase of quality control, **65–2** (1986), 9-20
  software (effects on a major telecommunications project), **65–3** (1986), 32-40
Integrated
  architecture for product realization (CIMA), **65–4** (1986), 17-24
  quality system (development and implementation of), **65–2** (1986), 21-29
Integrated circuit *See also* IC
  technology (tools and techniques for quality assurance), **65–2** (1986), 77-84
Integrated Services Digital Network (*See also* ISDN)
  AT&T Communications ISDN Architecture, **65–1** (1986), 27-33
  ISDN Architecture, **65–1** (1986), 4-17
  ISDN Standards Evolution, **65–1** (1986), 19-25
  Planning for ISDN in the 5ESS™ Switch, **65–1** (1986), 35-43
  Role of ISDN in AT&T Information Systems Architecture (The), **65–1** (1986), 45-55
Integration of AT&T products with products and services of other vendors (information systems architecture for), **65–1** (1986), 45-55
International Telegraph and Telephone Consultative Committee *See* CCITT
IQS *See* Integrated quality system
ISDN
  architecture, AT&T Communications, **65–1** (1986), 27-33
  planning (in 5ESS switch), **65–1** (1986), 35-43
  services and applications, **65–1** (1986), 27-33
ISDN Architecture, **65–1** (1986), 4-17
ISDN Standards Evolution, **65–1** (1986), 19-25
Isolated word recognizer (single-board implementation of), **65–5** (1986), 48-59

J

Josenhans, J. G., **65–5** (1986), 23-33, 60-67
Juang, B.-H., **65–3** (1986), 21-31

K

Kackar, R. N., **65–2** (1986), 39-50

Kamino, J. T., **65–1** (1986), 56-61
Karim, M. R., **65–3** (1986), 12-20
Kershaw, R. N., **65–5** (1986), 89-104
k-means training procedure for connected word recognition (segmental), **65–3** (1986), 21-31

L

Lake, R. D., **65–4** (1986), 17-24
Laser scanning microscope, wafer inspection with a, **65–1** (1986), 68-77
Lavigna, R. J., **65–4** (1986), 74-85
Leung, W. H. F., **65–3** (1986), 2-11
Lightguide Apparatus Technology and Automation, **65–4** (1986), 66-73
Lightguide (*See also* Fiber)
  connectors, **65–4** (1986), 66-73
  (dispersion-shifted) for applications near 1.55 μm, **65–5** (1986), 105-122
  MCVD process for making single-mode preforms, **65–1** (1986), 56-61
Line Scan Vision System, **65–4** (1986), 58-65
Logical systems architecture (CIMA), **65–4** (1986), 17-24
Lynch, J. F., Jr., **65–5** (1986), 23-33

M

Machine vision system for printed circuit board inspection, **65–4** (1986), 58-65
Major telecommunications project (software inspections), **65–3** (1986), 32-40
Making Single-Mode Preforms by the MCVD Process, **65–1** (1986), 56-61
Managing software development, **65–2** (1986), 94-101
Manufacturing (*See also* Manufacturing Technology)
  lines (IC); performance analysis techniques for, **65–4** (1986), 46-57
  (operations research in), **65–4** (1986), 4-16
  process control system (MPCS), **65–1** (1986), 35-45
  processes (robust design, a cost-effective method for improving), **65–2** (1986), 39-50
  robust design (method for improving manufacturing processes), **65–2** (1986), 39-68
  systems (performance analysis modeling for), **65–4** (1986), 25-34
Manufacturing—A Strategic Competitive Advantage, **65–4** (1986), 2-3
Manufacturing process control system *See* MPCS
Manufacturing technology (*See also* Manufacturing)
  CIMA (integrated architecture for product realization), **65–4** (1986), 17-24
  lightguide apparatus technology and automation, **65–4** (1986), 66-73
  line scan vision, **65–4** (1986), 58-65
  making single-mode preforms by the MCVD process, **65–1** (1986), 56-61
  MCVD process, **65–1** (1986), 56-61
  MPCS (manufacturing process control system), **65–4** (1986), 35-45
  operations research, **65–4** (1986), 4-16
  performance analysis modeling for manufacturing systems, **65–4** (1986) 25-34
  performance analysis techniques for IC lines, **65–4** (1986) 46-57
  silicon crystal growth and epitaxial layer deposition for VLSI devices, **65–4** (1986), 74-85
  III-V compound semiconductor crystals, **65–4** (1986), 86-98
McCallum, C. J., Jr., **65–4** (1986), 4-16
McEachern, M. T., **65–4** (1986), 35-45
MCVD process, making single-mode preforms by the, **65–1** (1986), 56-61
Methodology (design) for system quality, **65–3** (1986) 60-72
Metrics (standard software quality), **65–2** (1986), 113-118
Microscope (laser scanning) used for wafer inspection, **65–1** (1986), 68-77
Mobile radio channel (packet communications on a), **65–3** (1986), 12-20
Model (crosstalk) for balanced digital transmissions in multipair cable, **65–3** (1986), 41-59
Modeling (performance analysis) for manufacturing systems, **65–4** (1986), 25-34
Modified chemical vapor deposition *See* MCVD
Moffett, J. W., **65–5** (1986), 60-67
Monberg, E. M., **65–4** (1986), 86-98
MPCS—The Manufacturing Process Control System, **65–4** (1986), 35-45
Multipair cable (crosstalk model for balanced digital transmissions in), **65–3** (1986), 41-59
Multiplexers (digital; parallel scrambling techniques for), **65–5** (1986), 123-136

N

Nair, V. N., **65–3** (1986), 73-84
Neigh, J. L., **65–1** (1986), 45-55
Network (Integrated Services Digital) *Also see ISDN*
  architecture, **65–1** (1986), 4-17
  architecture, AT&T Communications, **65–1** (1986), 27-33
  planning in 5ESS switch, **65–1** (1986), 35-43
  role in AT&T Information Systems Architecture, **65–1** (1986), 45-55
  standards evolution, **65–1** (1986), 19-25
Network Systems, quality in AT&T, **65–2** (1986), 30-38
Nozari, A., **65–4** (1986), 46-57
Odlyzko, A. M., **65–3** (1986), 85-93
1.55-μm wavelength region (tailoring optical characteristics of dispersion-shifted lightguides for applications near), **65–5** (1986), 105-122
Operations Research in Manufacturing, **65–4** (1986), 4-16
Operations research tools and methods for IC manufacturing lines, **65–4** (1986), 46-57
Opferman, D. C., **65–3** (1986), 60-72
Optical
  characteristics of dispersion-shifted lightguides for applications near 1.55 μm, **65–5** (1986), 105-122
  communications (half weight block codes for), **65–3** (1986), 85-93
  fibers, single-mode (MCVD process for), **65–1** (1986), 56-61
Overview of current speech research, **65–5** (1986), 75-88

P

Packet Communications on a Mobile Radio Channel, **65–3** (1986), 12-20
Page, J. T., **65–1** (1986), 27-33
Parallel Scrambling Techniques for Digital Multiplexers, **65–5** (1986), 123-136
Password system (voice) for access security, **65–5** (1986), 68-74
PAW *See* Performance analysis workstation
PCAP *See* Performance characterization and analysis package
Perdue, R. J., **65–5** (1986), 34-47
Performance Analysis Modeling for Manufacturing Systems, **65–4** (1986), 25-34
Performance Analysis Techniques for IC Manufacturing Lines, **65–4** (1986), 46-57
Performance analysis workstation, **65–4** (1986), 25-34
Perigee kick motor *See* PKM
Pettijohn, C. L., **65–2** (1986), 85-93
Phadke, M. S., **65–2** (1986), 51-68
Pingel, T. C., **65–3** (1986), 32-40
PKM and AKM exit cone (computed tomography of), **65–1** (1986), 78-88
Planning for ISDN in the 5ESS™ Switch, **65–1** (1986), 35-43
Pratt, M. K., **65–4** (1986), 17-24
Preforms (single-mode), made by the MCVD process, **65–1** (1986), 56-61
Pregibon, D., **65–3** (1986), 73-84
Prell, E. M., **65–1** (1986), 35-43
Printed circuit board assemblies (automating inspection of), **65–4** (1986), 58-65
Process characterization and analysis package (quality control), **65–2** (1986), 30-38
Process control system (manufacturing), **65–4** (1986), 35-45
Processor (DSP32 digital signal) and its application development tools, **65–5** (1986), 89-104
Production of High Quality, III-V Compound Semiconductor Crystals (The), **65–4** (1986), 86-98
Product quality achievement in the development process, **65–2** (1986), 85-93
Product realization (CIMA; integrated architecture for), **65–4** (1986), 17-24
Product reliability (statistical methods for improvement of), **65–2** (1986), 69-76
Project management (basic principles for effective), **65–2** (1986), 94-101
Propagation characteristics of fibers with low dispersion near 1.55 μm, **65–5** (1986), 105-122
Prototype flexible automation work cell for lightguide connectors, **65–4** (1986), 66-73

Q

QCAP *See* Quality and cost analysis plan
Quality
  achieved in the development process, **65–2** (1986), 85-93
  assurance, **65–2** (1986), 9-20
  and cost analysis plan (quality control), **65–2** (1986), 30-38
  data (for quality engineering experiments), **65–3** (1986),

73-84
design methodology (for system quality), **65–3** (1986), 60-72
engineering experiments (data analysis strategy for), **65–3** (1986), 73-84
in AT&T (history and evolution of), **65–2** (1986), 9-20
metrics (software), **65–2** (1986), 113-118
practices (at AT&T), **65–2** (1986), 4-118
system (AT&T), **65–2** (1986), 21-29
technology (history, evolution, and roles), **65–2** (1986), 4-29
VLSI (tools and techniques for) **65–2** (1986), 77-84
theory and practice (at AT&T), **65–2** (1986), 4-118
Quality in AT&T Network Systems, **65–2** (1986), 30-38
Quality: Theory and Practice, **65–2** (1986), 4-8

R

Rabiner, L. R., **65–3** (1986), 21-31; **65–5** (1986), 75-88
Radio channel (mobile; packet communications on a), **65–3** (1986), 12-20
Rayleigh fading channel (possibility of transmitting packetized data over), **65–3** (1986), 12-20
Reed, W. A., **65–5** (1986), 105-122
Rehrig, D. L., **65–4** (1986), 74-85
Reliability improvement (statistical methods for), **65–2** (1986), 69-76
Remoted processes (distributed software concept of), **65–3** (1986), 2-11
Research in manufacturing (operations), **65–4** (1986), 4-16
Reusser, R. E., **65–4** (1986), 74-85
Rissanen, E. L., **65–5** (1986), 34-47
Robertson, L. B., **65–2** (1986), 94-101
Robertson, R. R., **65–5** (1986) 60-67
Robust Design: A Cost-Effective Method for Improving Manufacturing Processes, **65–2** (1986), 39-50
Robust design basic concepts, **65–2** (1986), 39-68
Roca, R. T., **65–1** (1986), 4-17
Rogers, M. R., **65–5** (1986), 23-33
Role of ISDN in AT&T Information Systems Architecture (The), **65–1** (1986), 45-55
Rosa, L. F., **65–5** (1986), 48-59
Rose, D. M., **65–1** (1986), 68-77
Rosinski, R. R., **65–5** (1986), 23-33
Router bits used for cutting printed wiring boards from panels (application of robust design to improve life of), **65–2** (1986), 51-68

S

S (statistical analysis system for quality control), **65–2** (1986), 30-38
Sangani, S. H., **65–3** (1986), 85-93
Sathaye, S., **65–4** (1986), 46-57
Schwartz, T. A., **65–1** (1986), 62-67
Scrambling techniques (parallel) for digital multiplexers, **65–5** (1986), 123-136
Screen, AT&T soft touch-sensitive, **65–1** (1986), 62-67
Screening PKM and AKM exit cones using computed tomography, **65–1** (1986), 78-88
Secor, G. A., **65–2** (1986), 94-101
Security (access; voice password system for), **65–5** (1986), 68-74
Segmental k-Means Training Procedure for Connected Word Recognition (A), **65–3** (1986), 21-31
Seifert, L. C.. **65–4** (1986), 2-3
Sekino, W. T., **65–2** (1986), 77-84
Semiconductor crystals (III-V), production of, **65–4** (1986), 86-98
Semiconductor wafers (inspection with a laser scanning microscope), **65–1** (1986), 68-77
Shang, H.-T., **65–5** (1986), 105-122
Shepp, L. A., **65–1** (1986), 78-88
Shoemaker, A. C., **65–2** (1986), 39-50
Shop floor and production scheduling, accounting, product data archive, and engineering support systems (links provided by MPCS for), **65–4** (1986), 35-45
Signaling channels (ISDN), **65–1** (1986), 4-17
Signal processor (DSP32 digital) and its application development tools, **65–5** (1986), 89-104
Silicon Crystal Growth and Epitaxial Layer Deposition for VLSI Devices, **65–4** (1986), 74-85
Silicon integrated circuits quality assurance, **65–2** (1986), 77-84
Single-Board General-Purpose Speech Recognition System, **65–5** (1986), 48-59
Single-crystal silicon for VLSI devices, **65–4** (1986), 74-85
Single-mode optical fibers (MCVD processes for), **65–1** (1986), 56-61
Single-user network interface to integrate voice, data, and image (ISDN), **65–1** (1986), 19-25
Sitarik, J. P., **65–4** (1986), 46-57
Snyder, D. Q., **65–4** (1986), 66-73
Soft touch-sensitive screen (AT&T), **65–1** (1986), 62-67
Software

development (effective management of), **65–2** (1986), 94-101
distributed (concept of remoted processes) **65–3**, 2-11
inspections, **65–2** (1986), 102-112; **65–3** (1986), 32-40
quality assurance plan, **65–2** (1986), 30-38; **65–3** (1986), 32-40
quality metrics, **65–2** (1986), 113-118
Software and hardware support tools for developing DSP32 applications, **65–5** (1986), 89-104
Sparrell, D. K., **65–5** (1986), 12-22
Speaker recognition (state of the art in), **65–5** (1986), 75-88
Speaker verification technology used in voice password system for access security, **65–5** (1986), 68-74
Speech coding
(state of the art in), **65–5** (1986), 2-11, 75-88
technology, **65–5** (1986), 2-11
Speech processing
application standards, **65–5** (1986), 23-33
Conversant 1 voice system, **65–5** (1986), 34-47
DSP32 digital signal processor, **65–5** (1986), 89-104
evolving technology, **65–5** (1986), 2-11
for AT&T workstations, **65–5** (1986), 60-67
single-board speech recognition system, **65–5** (1986), 48-59
standards (application), **65–5** (1986), 23-33
research, **65–5** (1986), 2-11, 75-88
32-kb/s ADPCM coding, **65–5** (1986), 12-22
voice password system for access security, **65–5** (1986), 68-74
Speech Processing: An Evolving Technology, **65–5** (1986), 2-11
Speech Processing Application Standards, **65–5** (1986), 23-33
Speech Processing for AT&T Workstations, **65–5** (1986), 60-67
Speech recognition
capability of Conversant 1 system, **65–5** (1986), 34-47
connected word recognition; segmental *k*-means training procedure (for), **65–3** (1986), 21-31
research, **65–5** (1986), 2-11, 75-88
system (single-board general-purpose), **65–5** (1986), 48-59
technology (for), **65–5** (1986), 2-11, 48-59, 64-65
Speech research, **65–5** (1986), 2-11, 75-88
Speech Research Directions, **65–5** (1986), 75-88
Speech synthesis
capability of Conversant 1 voice system, **65–5** (1986), 34-47
research, **65–5** (1986), 75-88
technology, **65–5** (1986), 2-11, 65
Spindel, L. A., **65–1** (1986), 45-55
SQAP *See* Software quality assurance plan
Srivastava, S., **65–1** (1986), 78-88
Standard Software Quality Metrics, **65–2** (1986), 113-118
Standards evolution (ISDN), **65–1** (1986), 19-25
Standards (speech processing application), **65–5** (1986), 23-33
Statistical design of experiments (for quality control), **65–2** (1986), 30-38
Statistical Methods for Reliability Improvement, **65–2** (1986), 69-76
Stocking, J. H., **65–4** (1986), 35-45
Strategic competitive advantage (manufacturing), **65–4** (1986), 2-3
Strategy for quality engineering experiments (data analysis), **65–3** (1986), 73-84
Stuntebeck, P. H., **65–1** (1986), 27-33
Success mode analysis (for quality control), **65–2** (1986), 30-38
Surette, G. J., **65–2** (1986), 21-29
Swartz, M. A., **65–4** (1986), 35-45
System
for access security (voice password), **65–5** (1986), 68-74
quality (design methodology for), **65–3** (1986), 60-72
simulation (for quality control), **65–2** (1986), 30-38

T

Tailoring Optical Characteristics of Dispersion-Shifted Lightguides for Applications Near 1.55 μm, **65–5** (1986), 105-122
Techniques
and tools for VLSI quality, **65–2** (1986), 77-84
(parallel scrambling) for digital multiplexers, **65–5** (1986), 123-136
(performance analysis) for IC manufacturing lines, **65–4** (1986), 46-57
Technology and automation of lightguide apparatus, **65–4** (1986), 66-73
Telecommunications project (software inspections on a), **65–3** (1986), 32-40
32-kb/s ADPCM Coding Standard (The), **65–5** (1986), 12-22

Thorkildsen, R., **65–5** (1986), 48-59
III-V compound semiconductor crystals (production of), **65–4** (1986), 86-98
Tomography (computed) of PKM and AKM exit cones, **65–1** (1986), 78-88
Tools and techniques for quality analysis, **65–2** (1986), 30-38
Tools and Techniques for VLSI Quality, **65–2** (1986), 77-84
Tormos, J. R., **65–5** (1986), 60-67
Touch-sensitive screen (AT&T soft), **65–1** (1986), 62-67
Tow, J., **65–5** (1986), 89-104
Training procedure (segmental *k*-means) for connected work recognition, **65–3** (1986), 21-31
Transmissions (balanced digital) in multipair cable; crosstalk model for, **65–3** (1986), 41-59
Trombly, R. M., 35-45
Troutman, W. W., **65–2** (1986), 77-84

U

Universal information services concept (role of 5ESS switch), **65–1** (1986), 35-43
User interfaces for voice store and forward standard, **65–5** (1986), 23-33

V

VanDame, W. P., **65–5** (1986), 23-33
Very large scale integrated *See* VLSI
Vision system (line scan), **65–4** (1986), 58-65
Visual inspection tasks (automation of), **65–4** (1986), 58-65
VLSI (*See also* Integrated Circuit)
  devices (silicon crystal growth and epitaxial layer deposition for), **65–4** (1986), 74-85
  quality (tools and techniques for), **65–2** (1986), 77-84
Voice Password System for Access Security (A), **65–5** (1986), 68-74
Voice (*See also* Speech)
  and data applications, digital interconnectivity for (ISDN), **65–1** (1986), 4-17
  forwarding and store standard, **65–5** (1986), 23-33
  password system (VPS) for access security, **65–5** (1986), 68-74
  speech processor (initial applications), **65–5** (1986), 60-67
  store and forward (VSF) standard, **65–5** (1986), 23-33
  system architecture and applications, **65–5** (1986), 34-47
VPS *See* Voice password system
VSF *See* Voice store and forward

W

Wafer Inspection with a Laser Scanning Microscope, **65–1** (1986), 68-77
WE® 32106 math accelerator unit **65–2** (1986), 83-84
Welsh, F. X., **65–5** (1986), 68-74
Williams, G., **65–4** (1986), 74-85
Wilpon, J. G., **65–3** (1986), 21-31
Word recognition
  connected; segmental *k*-means training procedure for, **65–3** (1986), 21-31
  (state of the art in), **65–5** (1986), 2-11, 75-88
Workproduct (inspections at AT&T), **65–2** (1986), 102-112
Workstations (AT&T; speech processing for), **65–5** (1986), 60-67

Y

Yacobellis, R. H., **65–3** (1986), 60-72